



## [ Products ] you can identify with



### Physical Specifications

<b>Material</b>	White synthetic label and transparent over laminate
<b>Size</b>	75 x 25 x 2.50 mm 2.95 x 0.98 x 0.10 in
<b>Weight (g)</b>	1.66
<b>Attachment</b>	Film adhesive (std)

### Dimensions



Measurements shown in mm

## Flex 1200 GS


The Flex 1200 is a low profile, small form factor RFID tag designed specifically for attachment to office equipment, IT assets or RTI's. With its superior RF performance, this tag excels in portal applications where the read range can be expanded. In addition, the Flex 1200 tag is well suited to indoor applications where a low-cost option is needed.

### RF Specification

<b>Radio Protocol</b>	EPC Class 1 Gen2v2
<b>Frequency Range</b>	866 - 928 (GS)
<b>Read Range - Fixed Reader</b>	Up to 13.2m (43.3 feet)
<b>Read Range - Handheld Reader</b>	Up to 5.8m (19 feet)
<b>On Metal or Balanced</b>	Optimized for metal
<b>Material Compatibility</b>	Metal
<b>IC Type (Chip)</b>	U-Code8
<b>Memory</b>	EPC - 128 bits User - 0 bits Unique TID - 48 bits

EPC and User memory are reprogrammable. UTID is locked at point of manufacture by IC manufacturer.

### Radiation Patterns



## [ Products ] you can identify with



With its flexibility and consistent RF performance, the Flex 1200 is ideally suited to applications such as:

- Office equipment
- Portals & Returnable Transit Items (RTI)
- Light outdoor use

### Environmental Specifications

<b>Operating Temperature</b>	-40°C to +85°C
<b>IP Rating</b>	IP68

### Ordering Information

<b>Warranty</b>	1 year
<b>Part Number / Order Codes / Order Numbers</b>	CP13997
<b>Supply Format</b>	900 labels / roll

### Certifications

CE, RoHS, US&Canada (C1D1/D2) certified (option)



株式会社サイレンスネット [www.silencenet.com](http://www.silencenet.com)  
〒222-0033 横浜市港北区新横浜2-5-9 新横浜フジカビル tel. 045-475-1555 fax. 045-475-3275

For product or technology inquiries email: [sales@omni-id.com](mailto:sales@omni-id.com).  
Visit [omni-id.com](http://omni-id.com) to learn more about the complete line of **Omni-ID RFID** products